

Package ‘moments’

July 23, 2025

Type Package

Title Moments, Cumulants, Skewness, Kurtosis and Related Tests

Version 0.14.1

Date 2015-01-05

Author Lukasz Komsta <lukasz.komsta@umlub.pl>, Frederick Novomestky
<fnovomes@poly.edu>

Maintainer Lukasz Komsta <lukasz.komsta@umlub.pl>

Description Functions to calculate: moments, Pearson's kurtosis,
Geary's kurtosis and skewness; tests related to them
(Anscombe-Glynn, D'Agostino, Bonett-Seier).

License GPL (>= 2)

URL <https://www.r-project.org>, <http://www.komsta.net/>

NeedsCompilation no

Repository CRAN

Date/Publication 2022-05-02 13:01:55 UTC

Contents

agostino.test	2
all.cumulants	3
all.moments	4
anscombe.test	5
bonett.test	6
central2raw	8
geary	9
jarque.test	10
kurtosis	11
moment	11
raw2central	12
skewness	13

Index	15
--------------	-----------

agostino.test	<i>D'Agostino test of skewness</i>
---------------	------------------------------------

Description

Performs D'Agostino test for skewness in normally distributed data.

Usage

```
agostino.test(x, alternative = c("two.sided", "less", "greater"))
```

Arguments

x	a numeric vector of data values.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". You can specify just the initial letter.

Details

Under the hypothesis of normality, data should be symmetrical (i.e. skewness should be equal to zero). This test has such null hypothesis and is useful to detect a significant skewness in normally distributed data.

Value

A list with class `htest` containing the following components:

statistic	the list containing skewness estimator and its transformation.
p.value	the p-value for the test.
alternative	a character string describing the alternative hypothesis.
method	a character string indicating what type of test was performed.
data.name	name of the data argument.

Author(s)

Lukasz Komsta

References

D'Agostino, R.B. (1970). Transformation to Normality of the Null Distribution of G_1 . *Biometrika*, 57, 3, 679-681.

See Also

[skewness](#)

Examples

```
set.seed(1234)
x = rnorm(1000)
skewness(x)
agostino.test(x)
```

all.cumulants	<i>Statistical Cumulants</i>
---------------	------------------------------

Description

This function calculates the cumulants for all orders specified in the given vector, matrix or data frame of raw moments

Usage

```
all.cumulants(mu.raw)
```

Arguments

mu.raw	A numeric vector, matrix or data frame of raw moments. For a vector, mu.raw[0] is the order 0 raw moment, mu.raw[1] is the order 1 raw moment and so forth. For a matrix or data frame, row vector mu.raw[0,] contains the order 0 raw moments, row vector mu.raw[1,] contains the order 1 raw moments and so forth.
--------	--

Details

No details are currently described.

Value

A vector matrix or data frame of cumulants. For matrices and data frame, column vectors correspond to different random variables.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Papoulis, A., Pillai, S. U. (2002) Probability, Random Variables and Stochastic Processes, Fourth Edition, McGraw-Hill, New York, 146-147.

See Also

[moment](#), [all.moments](#)

Examples

```

set.seed(1234)
x <- rnorm(10000)
mu.raw.x <- all.moments( x, order.max=6 )
all.cumulants( mu.raw.x )
M <- matrix( x, nrow=1000, ncol=10 )
mu.raw.M <- all.moments( M, order.max=6 )
all.cumulants( mu.raw.M )
D <- data.frame( M )
mu.raw.D <- all.moments( D, order.max=6 )
all.cumulants( mu.raw.D )

```

all.moments

Statistical Moments

Description

This function computes all the sample moments of the chosen type up to a given order.

Usage

```
all.moments(x, order.max = 2, central = FALSE, absolute = FALSE, na.rm = FALSE)
```

Arguments

x	A numeric vector, matrix or data frame of data. For matrices and data frames, each column is a random variable
order.max	the maximum order of the moments to be computed with a default value of 2.
central	a logical value, if TRUE, central moments are computed. Otherwise, raw moments are computed
absolute	a logical value, if TRUE, absolute moments are computed. Otherwise, standard moments are computed
na.rm	a logical value, if TRUE, remove NA values. Otherwise, keep NA values

Details

The minimum value for order.max is 2. The function stops running for values less than 2 and the message "maximum order should be at least 2" is displayed on standard output.

Value

A vector, matrix or data frame of moments depending on the nature of the argument x. If x is a vector, then the value returned is a vector, say mu, where mu[1] is the order 0 moment, mu[2] is the order 1 moment and so forth. If x is a matrix or data frame, then the value returned is a matrix or data frame, respectively. In this case, suppose mu is the value returned. Then, row vector mu[1,] contains the order 0 moments, mu[2,] contains the order 1 moments and so forth.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Papoulis, A., Pillai, S. U. (2002) Probability, Random Variables and Stochastic Processes, Fourth Edition, McGraw-Hill, New York, 146-147.

See Also

[moment](#), [raw2central](#)

Examples

```
set.seed(1234)
x <- rnorm(10000)
all.moments( x, order.max=4 )
all.moments( x, central=TRUE, order.max=4 )
all.moments( x, absolute=TRUE, order.max=4 )
all.moments( x, central=TRUE, absolute=TRUE, order.max=4 )
M <- matrix( x, nrow=1000, ncol=10 )
all.moments( M, order.max=4 )
all.moments( M, central=TRUE, order.max=4 )
all.moments( M, absolute=TRUE, order.max=4 )
all.moments( M, central=TRUE, absolute=TRUE, order.max=4 )
D <- data.frame( M )
all.moments( D, order.max=4 )
all.moments( D, central=TRUE, order.max=4 )
all.moments( D, absolute=TRUE, order.max=4 )
all.moments( D, central=TRUE, absolute=TRUE, order.max=4 )
```

anscombe.test

Anscombe-Glynn test of kurtosis

Description

Performs Anscombe-Glynn test of kurtosis for normal samples

Usage

```
anscombe.test(x, alternative = c("two.sided", "less", "greater"))
```

Arguments

x a numeric vector of data values.

alternative a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". You can specify just the initial letter.

Details

Under the hypothesis of normality, data should have kurtosis equal to 3. This test has such null hypothesis and is useful to detect a significant difference of kurtosis in normally distributed data.

Value

A list with class `htest` containing the following components:

<code>statistic</code>	the list containing kurtosis estimator and its transformation.
<code>p.value</code>	the p-value for the test.
<code>alternative</code>	a character string describing the alternative hypothesis.
<code>method</code>	a character string indicating what type of test was performed.
<code>data.name</code>	name of the data argument.

Author(s)

Lukasz Komsta

References

Anscombe, F.J., Glynn, W.J. (1983) Distribution of kurtosis statistic for normal statistics. *Biometrika*, 70, 1, 227-234

See Also

[kurtosis](#)

Examples

```
set.seed(1234)
x = rnorm(1000)
kurtosis(x)
anscombe.test(x)
```

`bonett.test`

Bonett-Seier test of Geary's kurtosis

Description

This function performs Bonett-Seier test of Geary's measure of kurtosis for normally distributed data.

Usage

```
bonett.test(x, alternative = c("two.sided", "less", "greater"))
```

Arguments

x	a numeric vector of data values.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". You can specify just the initial letter.

Details

Under the hypothesis of normality, data should have Geary's kurtosis equal to $\sqrt{2/\pi}$ (0.7979). This test has such null hypothesis and is useful to detect a significant difference of Geary's kurtosis in normally distributed data.

Value

A list with class `htest` containing the following components:

statistic	the list containing Geary's kurtosis estimator and its transformation.
p.value	the p-value for the test.
alternative	a character string describing the alternative hypothesis.
method	a character string indicating what type of test was performed.
data.name	name of the data argument.

Author(s)

Lukasz Komsta

References

Bonett, D.G., Seier, E. (2002) A test of normality with high uniform power. *Computational Statistics and Data Analysis*, 40, 435-445.

See Also

[geary](#)

Examples

```
set.seed(1234)
x = rnorm(1000)
geary(x)
bonett.test(x)
```

`central2raw`*Central to raw moments*

Description

This function transforms a vector, matrix or data frame of central moments to a vector, matrix or data frame of raw moments.

Usage

```
central2raw(mu.central,eta)
```

Arguments

<code>mu.central</code>	A numeric vector, matrix or data frame of central moments. For a vector, <code>mu.central[0]</code> is the order 0 central moment, <code>mu.central[1]</code> is the order 1 central moment and so forth. For a matrix or data frame, row vector <code>mu.central[0,]</code> contains the order 0 central moments, row vector <code>mu.central[1,]</code> contains the order 1 central moments and so forth.
<code>eta</code>	A numeric vector of sample mean or expected values

Value

A vector matrix or data frame of raw moments. For matrices and data frame, column vectors correspond to different random variables.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Papoulis, A., Pillai, S. U. (2002) Probability, Random Variables and Stochastic Processes, Fourth Edition, McGraw-Hill, New York, 146-147.

See Also

[moment](#), [all.moments](#), [raw2central](#)

Examples

```
set.seed(1234)
x <- rnorm(10000)
mu.raw.x <- all.moments( x, order.max=4 )
eta.x <- mu.raw.x[2]
mu.central.x <- all.moments( x, central=TRUE, order.max=4 )
central2raw( mu.central.x, eta.x )
mu.raw.x
```



```
M <- matrix( x, nrow=1000, ncol=10 )
mu.raw.M <- all.moments( M, order.max=4 )
eta.M <- mu.raw.M[2,]
mu.central.M <- all.moments( M, central=TRUE, order.max=4 )
central2raw( mu.central.M, eta.M )
mu.raw.M
D <- data.frame( M )
mu.raw.D <- all.moments( D, order.max=4 )
eta.D <- mu.raw.D[2,]
mu.central.D <- all.moments( D, central=TRUE, order.max=4 )
central2raw( mu.central.D, eta.D )
mu.raw.D
```

geary

Geary's measure of kurtosis

Description

This function computes an estimator of Geary's measure of kurtosis.

Usage

```
geary(x, na.rm = FALSE)
```

Arguments

x	a numeric vector, matrix or data frame.
na.rm	logical. Should missing values be removed?

Details

The Geary's kurtosis is computed by dividing average difference between observation and the mean by standard deviation of the sample.

Author(s)

Lukasz Komsta

References

Geary, R.C. (1936). Moments of the ratio of the mean deviation to the standard deviation for normal samples. *Biometrika*, 28, 295-307.

See Also

[kurtosis](#), [bonett.test](#)

Examples

```
set.seed(1234)
geary(rnorm(1000))
```

jarque.test	<i>Jarque-Bera test for normality</i>
-------------	---------------------------------------

Description

This function performs the Jarque-Bera test on the given data sample to determine if the data are sample drawn from a normal population.

Usage

```
jarque.test(x)
```

Arguments

x a numeric vector of data

Details

Under the hypothesis of normality, data should be symmetrical (i.e. skewness should be equal to zero) and have skewness close to three. The Jarque-Bera statistic is chi-square distributed with two degrees of freedom.

Value

A list with class `htest` containing the following components:

statistic	the list containing the Jarque-Bera statistic
p.value	the p-value for the test.
alternative	a character string describing the alternative hypothesis.
method	a character string indicating what type of test was performed.
data.name	name of the data argument.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Jarque, C. M., Bera, A. K. (1980) Efficient test for normality, homoscedasticity and serial independence of residuals, *Economic Letters*, Vol. 6 Issue 3, 255-259.

Examples

```
set.seed( 1234 )  
x <- rnorm( 1000 )  
jarque.test( x )
```

kurtosis	<i>Pearson's measure of kurtosis</i>
----------	--------------------------------------

Description

This function computes the estimator of Pearson's measure of kurtosis.

Usage

```
kurtosis(x, na.rm = FALSE)
```

Arguments

x	a numeric vector, matrix or data frame.
na.rm	logical. Should missing values be removed?

Author(s)

Lukasz Komsta

See Also

[geary](#), [anscombe.test](#)

Examples

```
set.seed(1234)  
kurtosis(rnorm(1000))
```

moment	<i>Statistical Moments</i>
--------	----------------------------

Description

This function computes the sample moment of specified order.

Usage

```
moment(x, order = 1, central = FALSE, absolute = FALSE, na.rm = FALSE)
```

Arguments

x	a numeric vector of data.
order	order of the moment to be computed
central	a logical value - if central moments are to be computed.
absolute	a logical value - if absolute moments are to be computed.
na.rm	a logical value - remove NA values?

Author(s)

Lukasz Komsta

Examples

```
set.seed(1234)
x <- rnorm(10)
moment(x)
moment(x, order=3, absolute=TRUE)
```

raw2central

Raw to central moments

Description

This function transforms a vector, matrix or data frame of raw moments to a vector, matrix or data frame of central moments.

Usage

```
raw2central(mu.raw)
```

Arguments

mu.raw	A numeric vector, matrix or data frame of raw moments. For a vector, mu.raw[0] is the order 0 raw moment, mu.raw[1] is the order 1 raw moment and so forth. For a matrix or data frame, row vector mu.raw[0,] contains the order 0 raw moments, row vector mu.raw[1,] contains the order 1 raw moments and so forth.
--------	--

Value

A vector matrix or data frame of central moments. For matrices and data frame, column vectors correspond to different random variables.

Author(s)

Frederick Novomestky <fnovomes@poly.edu>

References

Papoulis, A., Pillai, S. U. (2002) Probability, Random Variables and Stochastic Processes, Fourth Edition, McGraw-Hill, New York, 146-147.

See Also

[moment](#), [all.moments](#), [central2raw](#)

Examples

```
set.seed(1234)
x <- rnorm(10000)
mu.raw.x <- all.moments( x, order.max=4 )
mu.central.x <- all.moments( x, central=TRUE, order.max=4 )
raw2central( mu.raw.x )
mu.central.x
M <- matrix( x, nrow=1000, ncol=10 )
mu.raw.M <- all.moments( M, order.max=4 )
mu.central.M <- all.moments( M, central=TRUE, order.max=4 )
raw2central( mu.raw.M )
mu.central.M
D <- data.frame( M )
mu.raw.D <- all.moments( D, order.max=4 )
mu.central.D <- all.moments( D, central=TRUE, order.max=4 )
raw2central( mu.raw.D )
mu.central.D
```

skewness

Skewness of the sample

Description

This function computes skewness of given data.

Usage

```
skewness(x, na.rm = FALSE)
```

Arguments

x a numeric vector, matrix or data frame.
na.rm logical. Should missing values be removed?

Author(s)

Lukasz Komsta

See Also

[agostino.test](#)

Examples

```
set.seed(1234)
skewness(rnorm(1000))
```

Index

* **htest**

agostino.test, 2
anscombe.test, 5
bonett.test, 6
jarque.test, 10

* **math**

all.cumulants, 3
all.moments, 4
central2raw, 8
jarque.test, 10
raw2central, 12

* **univar**

all.cumulants, 3
all.moments, 4
central2raw, 8
geary, 9
kurtosis, 11
moment, 11
raw2central, 12
skewness, 13

agostino.test, 2, 14
all.cumulants, 3
all.moments, 3, 4, 8, 13
anscombe.test, 5, 11

bonett.test, 6, 9

central2raw, 8, 13

geary, 7, 9, 11

jarque.test, 10

kurtosis, 6, 9, 11

moment, 3, 5, 8, 11, 13

raw2central, 5, 8, 12

skewness, 2, 13